GENERAL INDEX TO VOLUME 19, 1982

(New names are indicated by **boldface** type, synonyms by *italics*)

Acanthocera exstincta 401
Acanthopinus 616, 623
  sciurinus 616, 623
Acari 6–14, 24–28, 48–53, 60–62, 111–12, 139–42, 147–50, 168–75, 198–210, 215–16, 218, 221–38, 285–89, 293–329, 376–79, 403–12, 556–57, 601–04, 629, 637–44, 655–64, 671–700, 728–42
acaricide, see pesticide
Acarus batatas 221
Acemya sp. 106
Admontia sp. 106
Aedes 32, 54, 160, 189, 255, 363, 500, 502–03, 507, 518–19, 524, 529–30
  aegypti 32, 54–59, 145, 180–81, 275–80, 334, 336–39, 357–60, 371–75, 380–87, 421, 490–95, 497–515, 517, 522, 524–31, 584, 586–87, 589, 591–92, 593–96, 706–09, 710–27
    control by Toxorhynchites ... 380
    nectar feeding 710
    transmission of VEE virus 275, 371
  albopictus 54, 58–59, 213, 502
  atropalpus 505, 512
  australis 494
  canadensis 512
  cantans 413, 505
  cantator 188–89
  cataphylla 505, 750
  cinereus 505, 750
  communis 503, 505
  dorsalis 15
  geniculatus 499
  hendersoni 244, 246
  hexodontus 153, 181
  malayensis, reproductive biology 29–33
  melanimon 567
  nigripes 181
  nigromaculis 181, 255, 388
  polynesiensis 29–30, 32
  punctor 512
  scutellaris 29, 31
  sierrensis 15–23, 161
    vector of Dirofilaria 15
  simulans 512
  sollicitans 154, 187, 189
  sticticus 241, 244–45
  stimulans 241, 595
  taeniorhynchus 32, 189, 389–90, 595
  trichuris 512
  triseriatus 213–14, 239–47, 386, 554, 589–92
    horizontal distribution 329
    La Crosse virus in 213
    oviposition attractant 589
  trivittatus 241, 244–45, 554–55
  vexans 15–23, 181–84, 242, 553–55
    oviposition site selection 181
    vector of Dirofilaria 15
Aedimorphus 181
Afrixodes 309–29
Ahaematopinus 616, 622–23
Alectorobius 665, 669
Alenapthirus 615, 617
Alexfania chilonycteris 226
Alveonasus 665, 669
Amblyomma
  interspecific mating in 139
  americanum 142–46, 285–89, 293–96
    growth in 285
    permethrin protection against 143
  hebraeum 139–42, 684, 686, 694–95, 698
  maculatum 142, 292, 296
  variegatum 139–42, 207, 683
Amblyseius fallacis 671
Amorphacarus hengererorum 628
  sp. 628
Analges (and higher categories) 299–305
  picicola 303
Analgopsis 303
Analloptes 299
Anaplasma marginale 643
Ancyralges 303
  cometus 302
  harpipodus 303
Ancyralginae 299, 302–03
Androctonus 352
  crassicauda 352
Androlaelaps casalis 218
  fahrenholzi 217, 629
Anhemialges 303
Anoetidae 628
Anomalges 303
Anomalginae 302–03
Anomothrix 304
Anopheles ... 32, 68–71, 132, 255, 363, 500, 503, 507, 518, 522, 584, 587
  hybridization in 290
  malaria vectorial capacity 98
  population dynamics 86
  aconitus 290–92
  albimanus 195–97, 505
  annularis 416
  atroparvus 536–40
  claviger 505, 512, 524
  culicifacies 86–103, 413–22, 584, 586–87
    immature survivorship 413
  earlei 512
  farauti 290
  filipinae 290
  freeborni 15, 34–37, 39–40
  funestus 32, 102
  gambiae 32, 98, 102, 127–33, 290, 413, 421, 498, 505, 512, 517, 529, 536, 540, 584, 586
    susceptibility to Plasmodium 127
    spp. 290
  hyrcanus 505
  koliensis 290
  lesteri 290
  litoralis 290
  maculipennis 32, 505, 512, 517, 524
    atroparvus 512, 515, 517, 522
  melas 290, 348
  merus 290
  minimus 290–92
  nigerrimus 416
  pampanai 290
  pharoensis 505, 512
  pulcherrimus 416
  punctipennis 188, 241, 553
  punctulatus 290
  quadrimaculatus 145, 188, 512, 505, 553, 710
  rufipes 505, 512
  sinensis 290
  sineroides 290
  squamosus 505, 512
  stephensi 86–103, 127–28, 130, 416, 503–19, 522, 524, 526, 573–88, 592
    reproductive biology 573
    mysorensis 154
  subpictus 86–101, 290, 416
  sundaicus 290
  varuna 290
  ziemanni 69–70, 505, 517, 519
anopheline ... 160, 290, 524, 529, 573
Anoplura 218, 615–27, 631
  systematics 615
ant 338, 743
  red imported fire 366–70, 743–47
Anthomyiidae 106, 108
antiallatotropin 734
Apidae 363
Apis mellifera 363
Aplodontopus sciuricola 217
Apoloniinae 221, 228, 233, 603–04
Arachnida 168, 352, 366, 569
arbovirus, see virus
Argas 209, 487–88, 665–70
  arboreus 209, 487–88, 569–72, 665–70
  hermanni 209, 665, 669
  persicus 665
  reflexus 665, 669

transgariepinus 665, 669
vulgaris 665
Argasidae 209, 487, 569–72, 665–70, 677–78, 701–05
Armigeres 54
Ascidae 111–12, 217
role in human dermatosis 111
Astigmata 218, 299
Atacturalges 304
Atellana papilio 111
Atopomelidae 111
attractant
4-methylcyclohexanol 589
oviposition 589
sex 734, 741
Atylotus 157, 161
Avenzoariidae 299
Avermectin B_1a, effects on fire ants 743–47
Babesia microti 655
babesiosis 643
human 655
Bacillus popilliae group 632
sphaericus 632
thuringiensis 632
var. israelensis 593–96
bacteria 371, 546, 551, 593–96, 632–33
baculovirus, see virus
Bakerdania plurisetosa 630
sp. 217, 630
Beauveria 632
bee 367–69
honey 677
beetle 530
cryptocephalid 112
rhinoceros 632
Berlesella 304
Bibionidae 106
Bigotomyia californiensis 106, 108
Blarinobia cryptotis 630
simplex 630
Blatella germanica 747
Bombyliidae 106
Boophilus 637–44, 698
development on cattle 24
use of sterile males 637
annulatus 24–28, 637
decoloratus 683, 688–89, 697–98
microplus 24–28, 198, 285, 288, 632, 643, 669, 697–98, 701
Boophthora crythrocephala 124
Boreus 631
Brachycera 353
Bradysia spp. 106
Brugia malayi 706, 708
Buclypeus 236
bug, bed 42, 45–47
bunyavirus, see virus
Buthacus 352
Buthidae 352
Buthus 352
Byssodon 63
Calliphoridae 106, 166, 350–51, 105
Carposcalis 106
Cecidomyiidae 106–07
Cellia 290
Ceratophyllidae 361–65
Ceratophyllus laeviceps 361
pentactenus 605
Ceratopogonidae 53, 106, 151–56, 212, 340–49, 545–52
Chagas' disease 97, 653
Chaoboridae 255, 388
Chatia 223
Cheladonta ouachitensis 630
chemosterilant 746
apholate 746–47
Cheyletidae 218
Chiasmalges 304
chigger (see also Trombiculidae) 12–14, 60–62, 147–50, 169–75, 204–06, 217, 221–38, 306–08, 368–70, 376–79, 403–12, 601–02, 603–04
glossary 221
new taxa 556, 601, 147, 169, 204, 212, 260, 306, 376, 403
Chilopoda 366
Chironomus attenuatus 154
Chortoglyphidae 218
Chrysolina 530
brunsvicensis 530
Chrysopilus 105, 107–08
?testaceipes 105
spp. 108
Chrysops 157, 160, 598
ater 598
atlanticus 161, 598, 600
bicolor 161
bivittatus 401
brevifascius 401
cincticornis, oviposition behavior 597–600
dimidiatus 161
excitans 598
fuliginosus 598, 600
gracilis 401
hirsuticallus, reproductive biology 157–63
indus 598
lateus nigroviolaceus 401
mitis 598
moechus 598
nigrocorpus 401
omissus 401
pikei 598
silaceus 161
variegatus 401
spp. 401
Chrysopsinae 401
Chrysopsini 401, 597
Ciradellidae 632
Cimex hemipterus 42, 44–47
blood meal size 45
Cimicidae 45–47
Clinodiplosis sp. 106
Cnephia dacotensis 124
pachecolunai 66
Coccinellidae 598
cockroach 526, 734
German 747
Coelidiinae 634
Coelidiini 634
Coelomomyces 414, 417, 419, 632
Coenosia bonita 106, 108
Coleomagilla maculata lingi 598
Colicus exhumatus 169, 171
Compsobuthus 352
copepod 388
Coquillettidia 519
metallica 513
Cordyla sp. 106
Cordylobia anthropophaga 166, 350–51
myiasis 350
technique for rearing 350
Corrodopsylla curvata 217, 628
crab 545
Crypticula 230
Cryptotylus chloroticus aeratus 401
Crypturalges 303
Ctenocephalides canis 361
felis 361
Ctenophthalmus pseudagyrtes 218, 628
Culex 54, 185, 187–89, 255, 363, 388, 500, 502–03, 507, 518–19, 524, 529–30
fatigans 512, 530
nigripalpus 113
pipiens 34, 113, 185, 187–88, 394–98, 494, 500, 505, 512, 530, 566, 720
complex 113
fatigans 505–06, 512
molestus 495, 503, 505, 511–12, 519, 522, 525
quinquefasciatus 40, 55, 113, 255–62, 336–39, 710, 724–26
restuans 113, 185, 187–88, 505, 513, 518, 530, 596
salinarius 113, 185–90, 553
breeding in impoundments ... 185
tarsalis 34–40, 113, 255, 388, 392, 505, 513, 530, 566, 567, 589, 591
territans 188, 389, 503, 505, 513, 519, 530
torrentium 503, 505, 513
tritaeniorhynchus 413, 419, 421
spp. 241, 244–45, 348
Culicidae 15–23, 29–33, 54–59, 68–71, 86–97, 127–33, 181–90, 195–97, 213–14, 239–47, 255–62, 275–80, 290–92, 336–39, 363, 371–75, 380–88, 394–98, 413–86, 489–535, 536–40, 543, 553–55, 558–68, 573–96, 704–25
Culicinae 524, 529
Culicinomyces 632
Culicoides 154, 348, 545, 551
barbosai 551
brevitarsis 154
circumscriptus 551
freeborni 106
furens 551, 552
grisescens 348

histrio, Thimiri virus in 212
impunctatus 347, 551
melleus 155, 551
molestus 545
nubeculosus 155
obsoletus 347, 551
occidentalis 151–52, 155–56
odibilis 551
ornatus 545
subimmaculatus, biology of 545–52
variipennis 151–56, 340–49
age-grading 340
mating behavior 151
australis 151, 155
sonorensis 151
venustus 154
waringi 551
Culiseta 255, 423, 500
larval distribution 423
alaskensis 567
bergrothi 503, 505
impatiens 513, 564–65
inornata 500–01, 513, 527–28, 558–68, 717
biology 558
melanura 423
moristans 423
silvestris minnesotae 188
Cuterebra myiasis in man 263
approximata 265–66
Cuterebridae 263–67
Cyrtolaelaps sp. 629
Cyrtolaelapidae 628
Daphnia 388
Deinocerites cancer 511, 513, 517, 528–29
Dermacarus hylandi 217
hypudaei 629
Dermacentor andersoni 202, 215–16, 288, 488, 569–72, 698
variabilis 142, 198, 207, 293–96, 629, 658, 663, 677, 694, 734–42
Dermanyssidae 671, 678
Dermanyssus gallinae, aggregation 671–78
prognephilus 671, 676, 678
Dermatophagoidinae 299
dermatosis, papular 111–12
Dermoglypheae 299
Dermoglyphidae 301
Deuteromycetes 632
Diachlorini 401
Diachlorus flavitaenia 401
immaculatus 402
Diamanus montanus, repellents against 361–65
Dicamaralges 304
Dichelacera fuscipes 401
sp. 401
Dicranoptycha stenophallus 106, 108
diflubenzuron 191–94
Dilophus strigilatus 106
Diplaegidia 303
Diplectra 230
Diplocentridae 352
Diptera 1–5, 15–23, 29–33, 53–59, 63–97, 104–108, 117–38, 151–63, 176–97, 211–14, 239–47, 254–84, 290–92, 330–51, 353–54, 363, 371–75, 380–87, 394–402, 413–86, 489–555, 558–68, 573–600, 706–27
Dirofilaria, in mosquitoes in Indiana 553
in Aedes in California 15
immitis 15–23, 553–55
striata 17
tenuis 17
dirofilariasis, canine 20
disease, see specific headings; see also virus
Dolichopodidae 106
Drosophilidae 106
Echidnophaga gallinacea 361, 748–49
Echinonyssus butantanensis 217
isabellinus 217
talpae 628–29
ectoparasites of Sorex 628
of Tamias striatus 217
Eltonella 376
Empididae 106
Empis sp. 106
Entomophthorales 632
enzyme, digestive 721
esterase 195
hexokinase 195
6-phosphogluconate dehydrogenase 197
Epitadia wenmanni 629
Eptescopsylla 605
Esenbeckia filipalpis 401
Eucheyletia bishoppi 218
Euhoplopsyllus glacialis affinis 748–49
biting humans 748
plague transmission 748
Eulaelaps stabularis 217, 628
Eurydiscalges 304
Euschoengastia blarinae 630
jonesi 630
lipoglena 169, 171
ohioensis 630
peromysci 218
setosa 217
Eusimulium 74
Eutrombicula splendens 217, 629
Fannia ochrogaster 106
filaria 19, 117, 371
filariasis 15, 97
aperiodic bancroftian 29, 31
flagellate 138
flavivirus, see virus
flea 164, 180, 217, 361–65, 369, 605–14, 628–29, 631, 748–49
book review 631
new taxa 605
cat 361
dog 361
Oriental rat 361
sticktight 361
fly, black 63–67, 72–85, 117–26, 143–46, 160, 530
ecology 72
new taxa 63
blow 332
bot 263–67
deer 157–63, 597–600
face 191–94
filth 53
Hessian 132
horn 191
horse 211, 281–84
house 191–93, 333, 747
phlebotomine 1–5, 134–38, 176–80
control 1
new taxa 134
scorpion 631
snipe, breeding sites of 104–08
stable 191–93, 330–35, 541–44
fuel reserves 330
tumbu 350–51
Formicidae 366–70, 743
fungus 255–62, 388–93, 414, 417, 419, 546, 551, 633
Gahrliepia 406
disparunguis 406
fulleri 406
kaloloensis 406
penetrans 226
spp. 237
Gahrliepiini 230, 232
Garmania *nesbitti* 111
genetics, mosquito 195, 394, 536
Gigantodax wrighti 66
Glossina morsitans 193, 268–74
palpalis 268
Glossinidae 268–74
Glycyphagidae 217, 628
Grylloblatta campodeiformis 527
guanine 676–77
Guntheria 232, 409, 412
chingae 406
crinita 412
foliata 409
heterosetosa 409
mackerrasae 409
mohri 409
omega 412
perameles 409, 412
shieldsi 409
squamosa 409
syllogisma 409
Haemaphysalis leporispalustris 198–203, 217, 658
longicornis 285, 669
silacea 690, 697
Haematobia irritans 191
Haematopinus antennatus 616, 623
pectinifer 620
sciuropteri 616, 622–23
Haematopota crassicornis 281
pluvialis 281
Haemogamasus ambulans 629
liponyssoides 628–30

Hartinga 299
Hearlea 76
heartworm, canine 15–23, 553
Heleomyzidae 106
Helina rufitibia 106, 108
Heliothis spp. 632
Hemialges 299, 303
Hemicnetha 74
Hemiptera 45–47, 109–10, 363, 645–54
Heteralges 303
Heteroptera 248–54
Hexidionis 228
Hilaria sp. 106
Hirstia 299
Hirsutella thompsonii 632
Hoffmanniella beltrani 169–75
Homoptera 363, 632
Hoplopleura 615
  erratica 217
Hoplopleuridae 164–68
hormone 746
  gonadotropic 734
  juvenile 719–21, 734
    in mosquito midgut maturation 719
  juvenile analogue 743, 719–20
  methoprene 743
Hyalomma 209
  anatolicum excavatum ... 6–11, 142
  dromedarii 142, 207–10
    Kadam virus in 207
    Quaranfil virus in 209
  excavatum 361
  impeltatum 209
  schulzei 209
Hybomitra 157, 161, 281–82
  aterrima 282
  bimaculata 282, 284
  distinguenda 282
  kaurii 281
  lasiophthalma 282, 284
  lundbecki 281
  micans 282, 284
  pluvialis 282
  spp. 161
Hylemya alcathoe 106
  fugax 106, 108
  platura 106
Hymenoptera 248, 363, 366–70, 743
Hyomesalges 304
Hyperalges 299, 303
Hypoaspis miles 628
Hystrichopsyllidae 629
Ingrassia 299
insecticide, see pesticide
Ischnopsyllidae 605–14
Ixodes 168
  angustus 630
  brewsterae 309, 321, 326, 328
  catherinei 309, 321, 326, 328
  cookei 294, 296, 658, 663
  corwini 309, 317, 326, 328
  cumulatimpunctatus 321
  dammini 655–64
    on hosts in Connecticut 655
  dentatus 217, 658, 663
  macfarlanei 309, 312, 326, 328
  marxi 663
  muris 630
  nchisiensis 309, 321, 326, 328
  oldi 309–29
  pacificus 661
  pilosus 690, 698
  ricinus 487
  rubicundus 698
  scapularis 292–94, 661
  texanus 658
  trianguliceps 201, 694
  vanidicus 309, 321, 326, 328
  zairensis 309, 312, 326, 328
  sp. 309
Ixodidae .. 6–11, 24–28, 139–42, 198–203, 207–08, 215–16, 285–89, 293–98, 309–29, 487–88, 569–72, 629, 637–44, 655–64, 677–700, 734–42
Ixodoidea 139–42, 209–10, 487–88, 665–70, 701–05
Japanese kedani fever 222
Johnsonpthirus 615–27
  chlorotalpae 615–17, 620
  heliosciuri 615, 617, 620
  keniae 617, 620
  spinosissimus 615–17
  suahelicus 617–20
Kaiseriana 667
kala-azar 1
ked 164, 167
Kiwialges 302–03
Kiwialginae 302–03
Laelapidae 111, 628, 728–33
Laelaps
  new taxa 728
  alaskensis 630
  anomalus 728, 731–33
  femoralis 728, 732
  flagellifer 728, 731
  juxtapositus 728–33
  kimanis 728, 730–31, 732
  kochi 630
  rex 728, 732
  spinigera 728, 732
  sulawesiensis 730
Lagenidiales 255–62, 388–93, 632
Lagenidium 632
  organic pollution effects on 255
  salinity tolerance 388
  giganteum 255–62, 388–93
larvicide, see pesticide
Lauxaniidae 105–06
Leeuwenhoekiinae 223, 228, 230, 232–36
Leishmania 357
  braziliensis panamensis 1–2
  mexicana 134
    amazonensis 134
    aristedesi 134
    mexicana 134
leishmaniasis 1–5, 97, 176
Leiurus 352
  quinquestriatus 352
Lepidoptera 333
Lepiselaga crassipes 401
Leptocera spp. 106
Leptoconops becquaerti 551
Leptotrombidium 221–22
  deliensis 222, 235
  sp. 629
Limosia 106, 108
Linognathoides 615–27
  citelli 615–16, 620, 621
  faurei 621
  inornatus 620
  laeviusculus 620–21, 622
  marmotae 621–22
  montanus 620
  palearctus 621–22
  pectinifer 616, 621–22
  relictus 621
  schizodactylus 621
  traubi 621–22
lobster 747
Lonchaea sp. 106
louse, human ... 143, 164–68, 615–27
Lucilia cuprina 332
Lutegus 616, 620–22
Lutzomyia flaviscutellata 136–38
  gomezi 1
  inornata 136–37
  longipalpis, repellents against 176–80
  olmeca 134, 136
    bicolor 3, 134, 136–38
    nociva 134, 136–38
    olmeca 134, 136
  panamensis 1, 3–4
  sanguinaria 1, 3
  trapidoi 1, 3
  ylephiletor 1, 3
Lygus lineolaris 363
Lyme disease 655
Mackiena 223
Macrocheles sp. 217
Macrochelidae 217
mal de caderas (hip sickness) 399–400
malaria 1, 34, 86, 95, 97–103, 132–33, 195, 279, 413, 536–40, 573
  rodent 127
Malaya jacobsoni 503, 513, 524
Mallophaga 631
Mansonia 68–71, 518–19, 522, 524, 530
  africana 69, 505, 513, 522, 524, 528, 530
  uniformis 69, 505, 513, 524, 528, 530
  richiardii 505
  spp. 70–71
Mansonioides 69
Mastigolaelaps 728, 732
Mayetiola destructor 132
Mecoptera 631
Megabothris acerbus 218
  asio 630
  quirini 630
Megninia 299, 303

Megninialges 302–03
Megniniella 303
Megniniinae 301, 303
Melanodexia sp. 106
Membracidae 363
Mermithidae 34–41, 347
Mesalges 299, 304
Mesalgoides 304
Mesostigmata 112, 218, 671, 677
Metallactus sp. 112
Metanalges 303
Metarhizium 632
Metaseiulus occidentalis 671
Metastigmata 218
Metastriata 139
Metasyrphus sp. 106
microbial control,
book review 632
Microsporidia 632
Microtrombicula 222
eltoni 376
frittsi 222
tanzaniae 376
Mictryris livingstonei 545
midge 53, 340–49
biting 151–56, 212, 545–52
Minettia sp. 105–06
Miridae 363
mite (see also chigger) 12–14, 48–53, 60–62, 111–12, 147–50, 169–75, 204–06, 217, 221–38, 306–08, 376–79, 403–12, 556–57, 601–04, 628–29, 632, 677
chicken 671–78
ear 199
feather, subfamilies of 299–305
possum fur 111
spider 112, 677
Miyatrombicula esoensis 217
Monomorium pharaonis 743
Monopsyllus wagneri 630
mosquito 2, 15–23, 29–41, 54–59, 68–71, 86–103, 127–33, 143–46, 152, 161, 164, 176, 180–90, 195–97, 213–14, 239–47, 255–62, 275–84, 290–92, 334, 357–60, 364, 368, 371–75, 380–98, 413–86, 489–535, 536–40, 553–55, 558–68, 573–89, 593–96, 706–27, 750
control with Toxorhynchites 336
JH role in midgut maturation 719
saltmarsh 187
systematics 750
visual responses 68
western treehole 161
moth, gypsy 632
Musca autumnalis 191–94
mortality from diflubenzuron 191
domestica 191, 333, 363, 543
vicina 333
Muscidae 105–06, 108, 191–94, 330–35, 363, 541–44
Mycetophila fungorum 106
Mycetophilidae 106
Mycobacterium butyricum 372
myiasis 263–67, 350–51
Myobiidae 48–53, 628
new taxa 48
Myodopsylla 605
borealis 605
collinsi 605
gentilis 605
insignis 605
nordina 605
palposa 605
Nealges 299
Nearctopsylla genalis 630
Nebo 352
Nematocera 154–55, 353
Nematoda 15–23, 34–41, 545, 551, 632–33
Neoculex 530
Neohaematopinus 615–27
appressus 625–26
batuanae 625–26
callosciuri 625–26
capitaneus 625–26
ceylonicus 625–26
chinensis 625–26
citellinus 625–26
cognatus 625–26
echinatus 625–26
elbeli 625–26
griseicolus 626
inornatus 616, 623–26
kinabalensis 626
neotomae 626
pacificus 626
pallidus 626
pansus 626
petauristae 616, 623, 626
pteromydis 626
robustus 626
sciuri 626
sciurinus 626
sciuropteri 626
semifasciatus 626
spilosomae 626
syriacus 626
Neoschoengastia 232
Neoseiulus 671
Neotrombicula bisignata 217
cavicola 630
harperi 217
whartoni 217
Nomuraea rileyi 632
Nosema fumiferanae 632
locustae 632
Nycteridopsylla 605–14
key to 605
chapini 605–06, 610, 613–14
intermedia 606, 614
vancouverensis 605–06, 610, 613
Nyssomyia 134, 136
Oaxacarus 223
Ochlerotatus 181
Odontacarus 228, 232
dentatus 222
Onchocerca 125
volvulus 117
onchocerciasis 63, 117
human 117–26
Oncopeltus fasciatus 732–42
Onychalges 299
Oomycetes 255–62, 388–93
Opifex fuscus 494, 528
Opistocrostis bruneri 628
Orchopeas leucopus 630
Oriental sore 1
Ornithodoros acinus 665, 669
capensis 665, 669
coniceps 665, 669
erraticus 210
kelleyi 660
lahorensis 665, 669
moubata 487, 671, 701
papillipes 701
parkeri 734
tholozani, susceptibility to acaricides 701–05
Ornithonyssus bacoti 628
bursa 628
Orthochirus 352
Orycteroxenus soricis 628
Pandalura 304
Pandalurinae 301–02, 304
Pangoniinae 401
Pangoniini 401
Panstrongylus megistus 253
Paragloides 299
Paraglopsis 299
Paraschoengastia 556–57
aemulata 556
magnatarsala 556–57
Parasitus sp. 629
Pegomyia duplicata 106
sp. 106
Peltoculus 223
spp. 226
Periplaneta americana 526, 734
Perissopalla 169–75
key to species 169
barticonycteris 174
calculata 171
deopertus 171, 174
flagellisetula 169, 174
ipeani 171, 174
irwingi 169, 174
pogoi 169, 174
precaria 169–75
rationalis 171, 174
tanycera 174
tiucali (=*tincali*) 169, 174
Persicargas 209, 487–88, 569–72, 665–70
protoheme pigment in 487
respiratory morphology 665
pesticide 639–40, 746
acaricide 24, 28, 288, 294, 679, 701–05, 741
benzene hexachloride 651, 701–05
carbaryl 350
DDT 701–05
larvicide 428
Malathion 2, 5, 91, 99
mirex 368

Permanone 143
permethrin 143–46
protection against ticks 143
Pramex 143
propoxur 197, 747
pyrethrin 646
Petauristophthirus 616, 622–23
Phaeotabanus cajennensis 211
in Trinidad 211
fervens 211
nigriflavus 211
obscuripilis 211
praxiniventris 211
Phaonia errans 106, 108
parviceps 106, 108
pheromone 139, 141–42, 674–75, 701–02
aggregation, in mites 671, 677–78
assembly, in ticks 139
2,6-dichlorophenol 139, 141, 672, 676–77
sex, in acari 677, 734, 736, 741
Phlebotomus papatasi 176, 180
sp. 176
Phorcotabanus 402
Phthiraptera 164–68
Phylluralges 303
Phytoseiidae 671
plague 631, 748–49
sylvatic 361
Plasmodium 98, 132
berghei 127, 536–40
falciparum 98–99, 102, 133
vivax 98–99, 102
yoelii nigeriensis 127–33, 536
Platycheirus sp. 106
Platypalpus spp. 106
Plesialges 303
Poecilioderas quadripunctatus 402
seclusus 402
Pollenia rudis 106
Polyplacidae 615–27
Polyplax serrata, acquired resistance to 164–68
Porricondyla sp. 106
precocene-2, toxicity in ticks 734–42
Proctolaelaps *hypudaei* 111
pygmaeus 111
sp. 217, 629
Proctophyllodeae 299
Prosimulium 72, 76–77, 84
dicentum 77
dicum 77
esselbaughi 77
fulvum 77
onychodactylum 77
Prostigmata 218, 677
Protalges 299, 304
Protalginae 299–300, 302, 304
Protalgini 299
Protomyobia 48–49, 51
americana 48, 50, 52, 628
brevisetosa 48–52, 630
claparedei 48–50, 52
indianensis 48–53, 628
kounickyi 52
nepalensis 51–52
nipponensis 48–49, 52
nodosa 49, 51–52
onoi 48–50, 52
sp. 629
Protophorima terraenovae 333
protozoa 347
Pseudoschoengastia 12–14
abditiva 12
diazi 12
disparunguis 12
tiucali 169–75
pseudotyphoid fever 222
Psilozia 74
Psocoptera 60
Psorergates cinereus 630
horridus 630
Psoromegninia 303
Psorophora 255
ciliata complex 750
ferox 241
Psoroptes cuniculi 199
Psoroptoides 304
Psoroptoididae 299–305
Psoroptoidinae 299, 301–02, 304
Psychodidae 1–5, 134–38, 176–80
Pteralloptes 299
Pterolicheae 299
Pteronyssinae 299
Pteronyssus 299
Ptiolina 105–07
arctica 107
mallochi 107
spp. 104, 105, 107
Pulex irritans 631
simulans 631
spp. 631
Pulicidae 748–49
Pygmephoridae 217, 628
Pygmephorus brevicauda 217
equitrichosus 629
horridus 629
idei 628, 630
sellnicki 217
tamiasi 629
Pyroglyphidae 299
Quadrularia laetifica 106
Radfordalges 303
Radfordiana 147–50, 403
Reduviidae 109–10, 180, 248–54, 645–54
repellent 176–80, 361–65
anabasine sulphate 176
benzoyl-hexamethylene 176
benzoylpiperidine 176
chloro-diethylbenzamide 176
Citronyl 177, 178, 180
dibutyl phthalate 177
diethyltoluamide (deet) 176–77, 180, 361–64, 522, 526
dimethyl phthalate (DMP) 176–80
di-*n*-butyl phthalate 177
ethoxy-diethylbenzamide 176
ethyl hexanediol (6-12) 176–78, 180, 361–64, 522, 526
Indalone 177–78, 180, 522
Merck 3535 ..... 177, 180
MGK repellent 11, 326 177–78
oil of pennyroyal 361–64
oil of sassafras 361–64
pyrethrum 176
Rohm & Haas 398 ..... 177–78, 180
SRI 165-67, 434-58, 835-19c, 835-23a 177, 180
Stabilene 177–78, 180
USDA AI3-36166, AI3-36178 ..177
xanthic disulphide 176
Resinacarus sp. 630
resistance
of cottontails to ticks 198
of mice to lice 164
Rhadinopsylla fraterna 630
Rhagio 105, 107–08
costatus 104, 107
incisus 105
latipennis 107
lineola 107
Rhagionidae 104–08
Rhamphomyia curvipes 106
sp. 106
Rhipicephalus appendiculatus ... 683, 693–94, 698
evertsi evertsi 683, 689–90, 697–98
glabroscutatum 690, 692, 698
pravus 207
pulchellus 207, 288
sanguineus 293–96, 734, 741
simus 683, 690, 692, 698
Rhodnius 253
rickettsia (see also specific diseases) 293, 660, 663
Rickettsia rickettsii 293, 297
tsutsugamushi 222
rickettsiosis, chigger-borne 221–22
Riedlinia 204
Rocky Mountain spotted fever 293, 663
Romanomermis culicivorax 34–41
Rymosia sp. 106
Saprolegniales 632
Sarcoptidae 299
Sasacarus 60–62
incae 60
vercammeni 60
Sasatrombicula 601–02
alicola 601
keechongi 601
quatei 601
umboiensis 601–02
Sauriscus 376
ewingi 376
scabies 11, 113
Scaptomyza ?terminalis 106
schistosomiasis 97
Schoengastia 147–50, 403, 406
key to 147
bicoxalae 149
brennani 149

cantonensis 150, 406
diannae 149
gutekunsti 149
hanmyaensis 149
heterosetosa 147
huxsolli 150
jamesi 149
kanhaensis 150
lanceolata 403
loomisi 149
nadchatrami 150
nudoseta 149, 403
obtusispura 150
palmata 150
philipi 150
plumosa 149
pobsa 150
propria 150
pseudoschuffneri 150
psorakari 149
roselli 149
rostrata 147, 149, 403
ruberi 403
saurella 149
schuffneri 149
shihwanensis 150
taylori 149
tricoxalae 149
vandersandei 149
vieta 149
whartoni 149
yunnanensis 149
Schoengastiella 237
Schoengastiini 204, 221
Sciaridae 106–07
Sciophilidae 107
Scorpio 352
scorpion 352, 366, 376
Scorpionidae 352
Scutalges 303
Secretargas 665, 669
sensilla, mosquito 489
Setaria yehi 20
Simuliidae 63–67, 72–85, 117–26
Simulium 76, 81–82, 84
amazonicum 329
anduzei 66
argus 72, 74–75, 77–78, 82–83
aureum 72, 74–75, 77
baffinense 530
canadense 76–77, 79–81, 83–84
damnosum complex 117–26
decorum 117–18, 120–25
ethelae 66
horacioi 63
metallicum 63
patziciaense 63–67
piperi 76–77, 81–82, 84
puigi 63, 66
quadrivittatum 63
sirbanum 122
soubrense 124
soubrense/sanctipauli 126
squamosum 123
tescorum 72, 74–75, 78–79, 83–84
tricornis 66
underhilli 125
venustum 78, 83
virgatum 72, 74–75, 82
vittatum 74–75, 82
sp. 72
Siphonaptera 218, 254, 361–65, 605–14, 629, 631, 748–49
Siphonini 106
Siseca 236
Solenopsis invicta 366–70
richteri 366
Sphaeroceridae 106
spider 366–69, 596
araneid 62
Spissistilus festinus 363
Stegomyia 29–33, 54, 181, 381
Stenotabanus sp. 402
Sternopsylla 605
distincta texana 605
Stomoxys calcitrans 191, 330–35, 541–44
Strelkoviacarus 303
Streptomyces avermitilis 743
Stypommisa punctipennis 402
sp. 402
Suillia (?)barberi 106
thomsoni 106
Symphoromyia 105, 108
inconspicua 104–05, 107
pachyceras 107–08
sackeni 105
spp. 104, 105, 107
Sympyinus cuprinus 106
Syrphidae 106
Tabanidae 157–63, 211, 281–84, 399–402, 543, 597–600
physiological age 281
Tabaninae 401–02
Tabanini 402
Tabanus 157, 161, 281–82, 598
acer 402
bromius 281–82, 284
claripennis 402
dorsiger stenocephalus 402
fuscofasciatus 402
johannesi 402
maculicornis 282
nigrovittatus 161, 282
occidentalis 402
var. dorsovittatus 401
ornativentris 402
pungens 402
quinquevittatus 161
sorbillans 402
triangulum 402
Tachinidae 106
Tamiophila grandis 218
techniques
aging hosts from blood meals 357
feeding
artificial method for Triatoma 109
bloodsucking insects 42
rearing, Cordylobia 350
Hyalomma 6
Simulium 117
traps, for collecting stable flies 541
Temnalges 304
Tetrahymena sp. 347
Tetranychidae 112, 671
Tetranychus urticae 112, 671, 677
Theileria annulata 6–11
Therisalges 303
Thrombidium vandersandei 147
tick 6–11, 24–28, 139–42, 164, 180, 198–203, 207–10, 217, 293–98, 339, 361, 364, 368–70, 487–88, 629–30, 637–44, 655–64, 677–700, 748–49
guanine biosynthesis 569
new taxa 309
population dynamics 679
resistance in cottontails 198
slow-death syndrome 701
survey on dogs 293
American dog 198, 293, 295–96, 734–42
black-legged 293, 296
blue 688, 697
bont 684, 695
brown dog 293–94, 296
brown ear 683, 693–94
cattle 637, 643
Fish River bush 690
glossy brown 690
Gulf Coast 296
hard 701, 703
lone star 143–46, 285–89, 293, 295–96
rabbit 198–203
red-legged 689, 697
Rocky Mountain wood 215–16
soft 665–70, 701–05
southern cattle 632
tick-borne relapsing fever 701
tick paralysis in cattle 215
Tillacarinae 299, 302, 304
Tillacarus 302, 304
Tipulidae 106, 108
Togaviridae, see virus
Toritrombicula 306–08
densipiliata 306
dumbletoni 306
kirhocephales 306
nissani 306
robusta 306
Toxomerus occidentalis 106
Toxorhynchites 33, 336, 380, 386, 429–86, 500, 502–03, 524–25, 593
annotated bibliography 429
control of mosquitoes with 336
amboinensis 54
brevipalpis 380–87, 493–94, 497, 502, 505, 511, 513, 515, 517, 529
effect on Aedes aegypti 380
conradti 505, 513, 519, 522, 525
rutilus, effect of Bacillus thuringiensis on 593
rutilus 336–39, 386, 593–96
septentrionalis 502
splendens 54–59, 502, 505
virus bioassay host 54

spp. 494, 596
Triatoma 248
barberi 652
infestans 109–10, 645–54
trypanosomiasis transmission 645
protracta 248–54
allergy to 248
antigen production 253
Trichosurolaelaps crassipes 11
Trixoscelididae 106
Trixoscelis frontalis 106
Trochilalges 304
Trombiculidae 12–14, 60–62, 147–50, 169–75, 204–06, 218, 221–38, 306–08, 376–79, 403–12, 556–57, 601–04, 629
Trombiculinae 169, 235
Trombiculini 204, 221, 230
Trombigastia 204–06
alcithoe 204
bishopi 204
dimolinae 206
harrisoni 204
novabritainia 204
Trypanosoma brucei rhodesiense 268–74
cruzi 647–48, 650, 652–53
equinum 399
gambiense 268
rhodesiense 268
Trypanosomatidae 268–74
trypanosome 648, 650
trypanosomiasis 97, 645–54
tsetse 160, 193, 268–74
Tsutsugamushi disease 222
tularemia 293
Typhlalges 303
typhus, mite-borne 222
Uranotaenia lateralis 503, 505, 513, 519, 524
sapphirina 188, 241, 244–45
Vairimorpha necatrix 632
Varchia 299
Vargatula 603
hispida 603
pacifica 603–04
Vatacarus ipoides 235
Verticillum lecanii 632
Villa sp. 106
virus 207
arbovirus 4, 134, 207, 212–13, 371, 429, 632, 660, 663
ART5125 207
baculovirus 632
bluetongue 151, 340
bunyavirus 213
California encephalitis 357
California group 213
Connecticut 663
Crimean-Congo hemorrhagic fever 209
CSIRO 1 212
cytoplasmic polyhedrosis 632
dengue 29, 31, 54–59, 722–24
Dera Ghazi Khan 209
Dhori 209
encephalitis, eastern equine 185, 423–28
La Crosse 213–14, 239, 245
St. Louis 34, 113, 185, 567
Venezuelan equine 275–80, 357, 371–75
western equine 34, 567
epizootic hemorrhagic disease 340
flavivirus 207–08
hepatitis B 42, 44, 47
Kadam 207–08
nonoccluded 632
Pacui 134
Quaranfil 209–10
San Angelo 213
Simbu group 212
Thimiri 212
Togaviridae 207–08
Waltonella flexicauda 706
wasp 367–69
weevil, boll 193
Whartonia atracheata 379
lepidopteriscuta 379
novemsetosa 376
oweni 379
worm, polychaete 551
Wyeomyia 529
aporonoma 505, 513, 518, 530
smithii 511, 513, 519, 522, 524, 528
Xenopsylla cheopis 361, 631
Xenoryctes latiporus 217
Xolalges 299
Xolalgini 299
Yersinia pestis 631, 748
Zygomyia sp. 106

VERTEBRATE INDEX

Ammospermophilus harrisi 625
Anoura caudata 556
Aonyx capensis 320, 326
Apodemus sylvaticus 201
Apodidae 304
Apodiformes 302
Ardeola grayii 212
Armadillo, Hairy 646
Nine-banded 603
Arvicanthis niloticus 207, 326
tenebrosus 326
Atilax paludinosus 312, 326
robustus 312, 321
Atlantoxerus getulus 621–22
bat 169, 171, 204–06, 376–79, 601, 605–14, 660
Big Brown 171, 610
Brazilian Small-eared 171
Egyptian Fruit 379
Egyptian Slit-faced 376
Long-eared 606
Long-tongued 171
Noack's African Leaf-nosed 376
Persian Leaf-nosed 376
short-tailed leaf-nosed 556
Silver-haired 613
Townsend's Big-eared 606
Vampire 171
vespertilionid 606
bird 209–10, 296, 299, 306, 487, 555, 569, 631, 655–56, 660, 671
marine 209
Paddy 212
Blarina brevicauda 50, 52, 628, 656
Blarinini 49, 51–52
Bobcat 17
Bos indicus 285, 288
taurus 159, 285, 288
Bovidae 648
Bubulcus ibis 212
ibis 209
Bucerotidae 304
buffalo 100
Bunting, Snow 107
Caenolestidae 60–62
caiman 211
Callosciurini 616, 625
Callosciurus caniceps 625–26
erythraeus 625
finlaysoni 625–26
jentincki 625
nigrovittatus 625
notatus 625
prevosti 625
tenuis 625
Calomys musculinus 645
camel 207–09, 288
Camelus dromedarius 209
Canis familiaris 293–98
Caprimulgiformes 303–04
Cardinal 658
Carollia sp. 556
cat 100, 326, 645–46, 661
bush 321, 326
domestic 312, 326

cattle 24, 100, 159, 161, 198–99, 207, 215–16, 282, 285–89, 296, 399, 543, 597, 637–44, 648, 679, 682–84, 686, 688, 690, 694, 697
  Brahman 285
Cavia australis 646
  porcellus 646
cavies 646, 648
Cephalophus dorsalis
  castaneus 326
  sylvicultor 317, 326
Cercopithecus aethiops 207
Chaetophractus villosus 646
Charadriiformes 304
chicken 100, 645–46, 648–53, 671, 676
chipmunk 266, 661
  Eastern 217–18, 656–58, 663
Chiroptera 376–79, 601
Chlorotalpa stuhlmanni 615
Choloepus hoffmanni 1
Chrysochloridae 615–16
Chrysochloris 616
  stuhlmanni 616–17
civet 326
  African 326
  Two-spotted Palm 326
Clethrionomys gapperi 656
Coluber constrictor 658
Coraciiformes 303–04
cottontail 55, 748–49
  Desert 748–49
  Eastern 198–203, 658
Coyote 15
Cricetidae 616
Crocidura flavescens 312, 326
  spp. 312, 326
Cryptotis parva 50, 52, 628
Cuculidae 304
Cuculiformes 304
Cynomys gunnisoni
  zuniensis 625
  ludovicianus 621–22
Dactylopsila trivirgata 406
Dasypus novemcinctus 603
deer 20, 158, 161, 288, 661
  Columbian Black-tailed 159
  White-tailed 161
Desmodus rotundus 171
Diadophis punctatus 658
Didelphis azarae 645–46
  marsupialis 296
  virginiana 159, 296
Dipodomys ordii 626
dog 15–18, 22, 100, 161, 326, 399, 553, 555, 645–50, 652, 656, 658, 661
  domestic 293–98
donkey 100, 399
Dremomys rufigenis 625
  ornatus 625
  spp. 625
Dromedary 209
duck 100
Duiker, Bay 326
  Yellow-backed 326
Dusicyon culpaeus 646
Echimyidae 732
Egret, Cattle 209, 212
Elaphe obsoleta 658
Episoriculus fumidus 51
Eptesicus fuscus 171, 610
Erolia testacea 303
Euderma maculatum 606
Eutamias amoenus 626
  quadrivittatus 626
finch, weaver 302
fowl, guinea 302
fox 661
  Red 555
Funambulus palmarum 625
  pennanti 625
Funisciurus 615–16, 620
  anerythrus 620
  pyrrhopus 620
Galliformes 304
Genet, Large-spotted 326
  Rusty-spotted 326
  Small-spotted 326
Genetta 326
  genetta 320–21, 326
    neumanni 321, 326
    senegalensis 326
  tigrina 321, 326
    rubiginosa 317, 326
  sp. 321
Glaucomys sabrinus 626
  volans 626
Glossophaga soricina 171
Glyphotes simus 625
goat 100, 646, 648–50
  angora 682–84, 686, 690
Grackle, Common 658
Gruiformes 304
guinea pig 646, 648
hare 747
  Scrub 326
  Snowshoe 201
Heliosciurus 616
  gambianus 617, 620
  rufobrachium 620
  ruwenzorii 617, 620
Herpestes ichneumon 312, 326
  pulverulentus 320–21
  sanguineus 321, 326
Heteromys desmarestianus 12–14
Hipposideros caffer centralis 379
  pomona atrox 206
  ruber 379
    ruber 376, 379
Hoplomys gymnurus 730
hornbill 302, 304
horse 161, 399–402, 646, 648, 656, 658
hummingbird 302
Hylomys suillus 730
Hylopetes phayrei 625
  sagitta 626
Indicatoridae 302, 304
Insectivora 326, 615–16, 628–30
Jaguar 2
Jay, Blue 658
kiwi 302–03
Lagomorpha 265
Lampropeltis doliata 658
Lariscus insignis 625
Lasionycteris noctivagans 610, 613
Lenothrix canus 730
Lepus americanus 201
  californicus 159
  saxatilis 321, 326
Lestoros 60–62
  inca 60–62
lizard 136, 147, 296
mammal 210, 296, 357, 403, 555, 569, 628, 631, 655–56, 660, 663, 692, 728
Marmota caudata 621–22
  flaviventris 622
    avara 622
  spp. 621–22
Marmotini 616, 620
Marsupialia 60–62
Martin, Purple 676
Maxomys 728
  bartelsii bartelsii 732
  hellwaldi 731
  musschenbroekii 731
  ochraceiventer 732
  panglima 732
  rajah 732
  surifer 732
  whiteheadi 732
Megapodius sp. 147
Melomys rufescens 412
Melomys, Rufescent 412
Melomys sp. 409
Menetes berdmorei 625
Microcavia 644
Micronycteris megalotis 171
Mole, African Golden 616
  Eastern 657–58
Molossidae 605
mongoose 312, 326
  Cape Grey 326
  Egyptian 326
  Marsh 326
  Slender 326
monkey 2
  Gray 207
Monodelphis brevicaudata 174
Mountain Lion 2
mouse 112, 164–68, 265, 698
  resistance to lice 164
  Deer 201
  Four-striped Grass 690
  Meadow Jumping 657–58
  Vesper 645, 647
  White-footed 655–58, 661, 663
  Woodland Jumping 656–58, 661, 663
Muridae 112, 652, 728, 732
Mus musculus 33, 165
Muscicapinae 304
Mustela frenata 656
Myotis californicus 613
  lucifugus 610
  sodalis 610
Nandinia binotata 321, 326
Nannosciurus whiteheadi 625
Napaeozapus insignis 656

Neotamias alpinus 626
hindsi 626
merriami 626
speciosus 626
townsendii 626
Neotoma 248, 616
albigula 626
alleni 626
cinerea 626
fuscipes 626
lepida 626
mexicana 626
micropus 626
streatori 626
Niviventer cremoriventer 732
Numidinae 304
Nycteris thebaica 376, 379
Odocoileus hemionus columbianus 159
opossum 645–47, 648, 661
Incan "Rat" 60–62
Short Bare-tailed 174
Virginia 159, 161, 292, 657–58, 662
Otter, Cape Clawless 326
ox 399–400
Paraxerus 615–16, 620
alexandri 620
boehmi 615–17, 620
emini 620
cepapi 617, 620
arucescens 620
ochraceus 617
palliatus 617, 620
ornatus 620
Passeriformes 303–04
Peromyscus leucopus 655
Petaurillus hosei 626
Petaurista batuana 625
elegans 626
inornata 626
petaurista 626
taylori 626
Petauristini 616, 625
Petrodomus tetradactylus ... 321, 326
sp. 326
Phalangeridae 111
Phasianidae 304
Piciformes 303–04
pig 100, 603, 646, 648–49, 651, 653
pigeon, domestic 209
Pipistrellus subflavus 610
Pitohui kirhocephalus 306
Variable 306
Plecotus auritus 606
pallescens 606
townsendii 606
Plectrophenax nivalis townsendi 107
Ploceidae 303
Possum, Brush-tailed 111
Common Striped 406
Procyon lotor 159, 296, 656
Pseudomys nanus 112
Psittaciformes 304
Pteromys volans 626
Quelea quelea 303
rabbit 161, 263, 266, 295, 748–49
Black-tailed Jack 159
Raccoon 17, 159, 161, 296, 656–58, 660, 663
Racer, Black 658
rat 136
Grass 207
Moss-forest 149
Nile Grass 326
Norway 657–58
Variable Spiny 406, 409
Rattus 728
argentiventer 732
exulans 33
hoffmanni 731
jalorensis 732
marmosurus 731
niobe 149
norvegicus 33
rattus 33
diardii 732
ruber 406, 409
reptile 376, 403, 656, 660–61
Rhabdomys pumilio 692
Rhinolophus eloquens 379
sp. 206
Rock Chuck 622
rodent 33, 134, 263–66, 295, 357–60, 628, 652, 655, 661, 663, 679, 748
murid 652
murine 357–60
Rodentia 217–18, 732
Rousettus aegyptiacus 379
ruminant 340
Ruminantia 161
Sciuridae 217–18, 616, 620
Sciurini 616, 625
Sciurus anomalus 626
carolinensis 656
griseus 626
poliopus 626
vulgaris 626
spp. 626
Scolopacidae 303
sheep 158–59, 167, 648
shrew 50, 217, 661
forest elephant 326
Four-toed Elephant 326
Masked 628–30, 657–58
short-tailed 628, 656–58
Smoky 657–58
Southeastern 48–53, 628–30
White-toothed 326
sloth 2
Two-toed 1–2
Snake, Black Rat 658
Common Garter 658
Eastern Ringneck 658
Milk 658
Ribbon 658
Sorex 49–51
ectoparasites of 628
alpinus 49
araneus 49–50, 52
arcticus 50, 52
caecutiens 50, 52
cinereus 50, 52, 628–30
fumeus 49–50, 51
longirostris 48–53, 628, 630
minutus 49
palustris 50–52
shinto 48, 52
unguiculatus 50, 52
spp. 48
Soricini 49, 51–52
Soriculus caudatus soluensis 51
nigrescens 51
Spermophilus adocetus 621–22
beecheyi 361, 622
beldingi 622
columbianus 621
dauricus 621
gracilis 621
leptodactylus 621
leucurus 625
parryi 621
pygmaeus 621
spilosoma 626
suslicus 621
tereticaudus 625
undulatus 621
variegatis 621
grammurus 625
squirrel 616, 661
African bush 615
African ground 616
African tree 615–16
Gray 656–58, 663
ground 361, 616, 628
northern ground 616
Red 656, 658
Strigiformes 304
Sus scrofa 603
swift 302
Sylvilagus audubonii 748
floridanus 198–203, 658
spp. 748–49
Tadarida 605
Talegalla sp. 147
Tamias striatus 217–18, 656
ectoparasites of 217
Tamiasciurini 616, 625
Tamiasciurus hudsonicus 626
spp. 626
Tamiops rodolphei 625
Tamiscus vulcanorum 615, 620
Terrapene carolina 658
Thamnophis sauritus 658
sirtalis 658
Thrush, Wood 658
Titmouse, Tufted 658
Towhee, Rufous-sided 658
Triaenops persicus afer 376, 379
Trichosurus vulpecula 111
Trochilidae 304
turkey, bush 147
turtle, box 658
Varanus indicus 147
sp. 403
Vespertilionidae 605–06
Viverra civetta 321, 326

Viverridae 326
vole 265
Meadow 657–58, 662
Southern Red-backed 656–58, 660
Woodland 657–58
vulture 302–03
waterfowl 558–59, 564
Weasel, Long-tailed 656
Woodchuck 622, 656–58
woodrat 248, 749
Xerini 616, 620
Xerus inauris 621
princeps 621

EDITORIAL ACKNOWLEDGMENTS

The editors wish to acknowledge the following persons, in addition to our editorial board and staff of the Department of Entomology of the Bishop Museum, who reviewed papers during 1981. The names appear alphabetically within groups formed according to approximate numbers of manuscripts refereed, with those groups of individuals who reviewed the most manuscripts appearing first. To all these people who have given valuable assistance, the editors express their appreciation.

John F. Anderson (Conn. Agric. Exp. Stn.), David C. Baerg (Panama Canal Comm.), Ralph A. Barr (Univ. of Calif., Los Angeles), Wayne J. Crans (Rutgers Univ.), Edward E. Davis (SRI International, Menlo Park), Robert Domrow (Queensland Inst. Med. Res.), Woodbridge A. Foster (Ohio State Univ.), Paul R. Grimstad (Univ. of Notre Dame), Roger H. Grothaus (S. C. Johnson & Son, Inc., Racine), Irvin M. Hall (Univ. of Calif., Riverside), E. W. Jameson, Jr (Univ. of Calif., Davis), Robert H. Jones (USDA, Denver), Douglas J. Lake (Chas. T. Main, Inc., Boston), Paul T. McDonald (Univ. of Calif., Berkeley), James H. Oliver (Georgia Southern Coll.), William K. Reisen (Univ. of Calif., Bakersfield), Raymond E. Ryckman (Loma Linda Univ.), Donald A. Shroyer (Univ. of Hawaii), Robert K. Washino (Univ. of Calif., Davis), William J. Wrenn (Univ. of North Dakota).

John R. Anderson (Univ. of Calif., Berkeley), Allen M. Barnes (CDC, Fort Collins), I. Leonard Bernstein (Univ. of Cincinnati), W. L. Bidlingmayer (Florida Med. Entomol. Lab), Reinhard A. Brust (Univ. of Manitoba), John F. Burger (Univ. of New Hampshire), E. Paul Catts (Washington State Univ.), Roy W. Chamberlain (CDC, Atlanta), Carleton M. Clifford (RML), Lewis B. Coons (Memphis State Univ.), C. F. Curtis (London Sch. of Hyg. & Trop. Med.), Roger D. Drummond (USDA, Kerrville), John D. Edman (Univ. of Massachusetts, Amherst), Dana A. Focks (USDA, Gainesville), Richard Garcia (Univ. of Calif., Berkeley), Duane J. Gubler (CDC, San Juan), Robert W. Gwadz (NIH, Bethesda), Harald N. Johnson (Calif. Dept. of Health, Berkeley), Charles L. Judson (Univ. of Calif., Davis), James E. Keirans (RML), Marc Klowden (Univ. of Idaho), Henry G. Koch (USDA, Poteau), William Krinsky (Yale Univ.), Goro Kuno (CDC, San Juan), Arden O. Lea (Univ. of Georgia), Sister Mary Leahy (Mount St. Mary's Coll.), Richard B. Loomis (Calif. State Univ., Long Beach), Nyven J. Marchette (Univ. of Hawaii), G. A. H. McClelland (Univ. of Calif., Davis), Roger W. Meola (Texas A & M Univ.), James Nolan (CSIRO, Queensland), William B. Owen (Colorado State Univ.), Lawrence G. Pickens (USDA, Beltsville), Leon Rosen (Univ. of Hawaii), Louis C. Rutledge (Letterman Army Inst. Res., San Francisco), Daniel E. Sonenshine (Old Dominion Univ., Norfolk), Andrew Spielman (Harvard Univ.), William W. M. Steiner (Illinois Inst. of Nat. Res.), Constantine H. Tempelis (Univ. of Calif., Berkeley), A. W. Thomas (Canadian Forestry Serv., Fredericton), Rosalie Watkins (Summer Hill, New South Wales), Stephen K. Wikel (Univ. of South Dakota), Peter Willadsen (CSIRO, Queensland), Roger W. Williams (Columbia Univ.), Nixon Wilson (Univ. of Northern Iowa), James E. Wright (Mississippi State Univ.), Conrad E. Yunker (RML).

J. R. Allen (Univ. of Saskatchewan), Larry G. Arlian (Wright State Univ.), Sister Monica Asman (Univ. of Calif., Berkeley), Richard H. Baker (Univ. of Maryland), W. A. Banks (USDA, Gulfport), Donald R. Barnard (USDA, Poteau), M. Bar-Zeev (Kimron Vet. Inst., Bet Dagan, Israel), Gordon F. Bennett (Mem. Univ. of Newfoundland, St. John's), P. F. L. Boreham (Queensland Inst. of Med. Res.), A. B. Borkovec (USDA, Beltsville), Dov Borovsky (Florida Med. Entomol. Lab.), Willy Burgdorfer (RML), Stanley Casto (Univ. of Mary Hardin-Baylor, Belton, Texas), H. C. Chapman (USDA, Lake Charles), Bruce M. Christensen (Univ. of Wisconsin), Howard A. Christensen (Gorgas Mem. Lab., Panama), John Coe (RML), Harvey L. Cromroy (Univ. of Florida), Eddie W. Cupp (Cornell Univ.), G. R. DeFoliart (Univ. of Wisconsin), Robert Desowitz (Univ. of Hawaii), Vincent Dethier (Univ. of Massachusetts, Amherst), A. E. R. Downe (Queen's Univ., Kingston, Ontario), J. A. Downes (Agric. Canada, Biosyst. Res. Inst.), Bruce F. Eldridge (Oregon State Univ.), K. C. Emerson (Sanibel, Florida), Joseph D. Foulk (Pabst Brewing Co., Milwaukee), F. J. H. Fredeen (Agric. Canada, Saskatoon), Deane P. Furman (Univ. of Calif., Berkeley), John E. George (USDA, Kerrville), G. P. Georghiou (Univ. of Calif., Riverside), Lawrence I. Gilbert (Univ. of North Carolina), M. T. Gillies (Univ. of Sussex, Brighton), W. J. Gladney (Wellcome Res. Lab., Research Triangle Park, N.C.), O. H. Graham (USDA, Kerrville), Bernard Greenberg (Univ. of Illinois, Chicago Circle), James L. Hardy (Univ. of Calif., Berkeley), W. Keith Hartberg (Georgia Southern Coll.), R. F. Harwood (Washington State Univ.), Ronald A. Hellenthal (Univ. of Notre Dame), Anita Hoffman-Sandoval (Univ. Nac. Autonoma de Mexico), Charles L. Hogue (L.A. County Mus. of Nat. Hist.), Cluff H. Hopla (Univ. of Oklahoma), D. E. Howell (Oklahoma State Univ.), J. Knox Jones, Jr (Mus. of Texas Tech Univ.), D. S. Kettle (Univ. of Queensland, St. Lucia), R. Killick-Kendrick (Imperial College, London), Peter A. Langley (Tsetse Res. Lab., Bristol), James W. LeDuc (Army Med. Res. Inst. Inf. Dis., Fort Detrick), D. C. Lee (South Australian Mus.), Leo Levenbook (NIH, Bethesda), David J. Lewis (BMNH, London), Robert E. Lewis (Iowa State Univ.), Evert E. Lindquist (Biosyst. Res. Inst., Ottawa), John R. Linley (Florida Med. Entomol. Lab.), W. W. Macdonald (Liverpool Sch. of Trop. Med.), Adrian G. Marshall (Univ. of Aberdeen), John G. Matthysse (Tucson, Arizona), Burrus McDaniel (South Dakota State Univ.), Ivan N. McDaniel (Univ. of Maine, Orono), Bryan E. Miller (Boulder Co. Health Dept.), R. W. Miller (USDA, Beltsville), C. D. Morris (New York State Dept. of Health), Gary Mount (USDA, Poteau), Mir S. Mulla (Univ. of Calif., Riverside), Keith F. Murray (Calif. Dept. of Health), M. D. Murray (CSIRO, Glebe), Bernard C. Nelson (Dept. of Health Serv., Berkeley), G. S. Nelson (Liverpool Sch. of Trop. Med.), Robert J. Novak (CDC, San Juan), Richard S. Patterson (USDA, Gainesville), L. L. Pechuman (Cornell Univ.), R. V. Peterson (Agric. Canada, Ottawa), C. B. Philip (Calif. Acad. of Sciences),

Rudolph L. Pipa (Univ. of Calif., Berkeley), Frederick Proshold (USDA, St. Croix), Jorge E. Rabinovich (Inst. Venez. Invest. Cient., Caracas), William C. Reeves (Univ. of Calif., Berkeley), Robert B. Rhoades (Med. College of Georgia), Lynn Riddiford (Univ. of Washington), W. Rudin (Swiss Trop. Inst.), Albert Rudnick (Univ. of Calif., San Francisco), Raymond Russo (Purdue Univ.), John Scanlon (Univ. of Texas, San Antonio), William Scherer (Cornell Univ.), H. J. Schnitzerling (CSIRO, Queensland), Carl E. Schreck (USDA, Gainesville), Jack A. Seawright (USDA, Gainesville), A. J. Shelley (BMNH, London), Daniel Strickman (Brooks Air Force Base, Texas), Gordon K. Sweatman (London, Ontario), I. Barry Tarshis (Patuxent Wildlife Res. Ctr., Laurel, Maryland), Robert Tesh (Yale Univ.), Milan Trpis (Johns Hopkins Univ.), William J. Turner (Washington State Univ.), Albert A. Undeen (USDA, Gainesville), G. M. Urquhart (Univ. of Glasgow), J. B. Walker (Vet. Res. Ctr., Onderstepoort), Rupert L. Wenzel (Field Mus. Nat. Hist.), G. W. Wharton (Ohio State Univ.), R. H. Wharton (CSIRO, Queensland), John O. Whitaker (Indiana State Univ.), Willis W. Wirth (USNM), Paul A. Woke (Bethesda, Maryland), Lauren G. Zárate (Ctr. Invest. Ecol. Sureste, Chiapas, Mexico), Rodrigo Zeledón (San José, Costa Rica).

JOURNAL
OF
MEDICAL ENTOMOLOGY

Volume 19
1982

Published by
Department of Entomology, Bishop Museum
Honolulu, Hawaii, USA

EDITORIAL COMMITTEE

F. J. Radovsky, *Executive Editor*
JoAnn M. Tenorio, *Editor*
R. C. Axtell
B. N. Chaniotis
M. M. Crystal
D. M. Davies
A. L. Dyce
A. Fain
J. L. Gressitt
H. Hoogstraal
H. Kurahashi
L. E. LaChance
L. A. Magnarelli
S. B. McIver
C. J. Mitchell
M. Nadchatram
R. A. Price
M. W. Service
D. Stiller
R. Traub
J. E. M. H. van Bronswijk
Production Editor: Keith K. Leber
Editorial Assistants: Reidun Johansen-Khan, Christine M. Kirkham
Sales Managers: W. Fitzgerald, Margaret Collier

Entomology Staff, Bishop Museum, 1982: Keith Arakaki, Candida Cardenas, Yvonne Ching, Neal L. Evenhuis, Betsy Gagné, Wayne Gagné, Jill Glanstein, M. Lee Goff, J. L. Gressitt, Carol Higa (Admin. Asst.), Francis Howarth, June Ibara, Reidun Johansen-Khan, Christine M. Kirkham, Arthur H. Kodani, Keith K. Leber, Deborah Manning, Gail A. Mason, Hans Megens, Grace Nakahashi, Gordon M. Nishida, F. J. Radovsky (Chairman), G. A. Samuelson, Shirley Samuelson, Pamela A. Sanders, W. A. Steffan (Vice-Chairman), Sabina Swift, JoAnn Tenorio.

Associates in Entomology, Bishop Museum: Honorary Associates: J. Balogh (Budapest), J. W. Beardsley (Honolulu), F. A. Bianchi (Honolulu), J. M. Brennan (Honolulu), H. L. Carson (Honolulu), D. E. Hardy (Honolulu), H. Hoogstraal (Cairo), E. W. Jameson, Jr (California), N. L. H. Krauss (Honolulu), T. C. Maa (Taipei), J. T. Medler (Honolulu), K. Sakimura (Honolulu), R. W. Strandtmann (Texas), J. J. H. Szent-Ivany (South Australia), R. Traub (Baltimore), K. Yasumatsu (Fukuoka), E. C. Zimmerman (Canberra). *Research Associates:* G. A. Ahearn (Honolulu), P. D. Ashlock (Lawrence), P. F. Bellinger (California), C. J. Davis (Hawaii), R. F. Forster (New Zealand), D. P. Furman (California), F. Haramoto (Honolulu), C. R. Joyce (Honolulu), N. A. Kormilev (New York), M. Maffi (Italy), E. N. Marks (Brisbane), W. C. Mitchell (Honolulu), S. L. Montgomery (Honolulu), W. W. Moss (Philadelphia), W. P. Mull (Hawaii), M. Nadchatram (Kuala Lumpur), R. P. Papp (San Francisco), J. C. E. Riotte (Honolulu), K. Sattler (London), H. G. Sengbusch (Buffalo), J. M. Valentine (Miami). *Associates:* D. L. Bishop (California), R. Greenfield (Honolulu), B. S. Sugarman (Honolulu). *Field Associate:* C. W. Mills, III (New York), Fred Stone (Honolulu).

Printed by
Allen Press, Inc., Lawrence, Kansas, USA
© 1982 by the Bishop Museum

CONTENTS OF VOLUME 19

ADAMS, C. T. & C. S. LOFGREN—Incidence of stings or bites of the red imported fire ant (Hymenoptera: Formicidae) and other arthropods among patients at Ft. Stewart, Georgia, USA 366
ADLER, PETER H.—see Kim & Adler
ANDERSON, JOHN R.—see Lane & Anderson
ANDREWS, J. R. H. & G. W. RAMSAY—A case of papular dermatosis in man attributed to an ascid mite (Acari) 111
ARIAS, J. R.—see Young & Arias
ATYEO, W. T.—see Gaud & Atyeo
AUROI, CH.—Physiological age of tabanid (Diptera) populations in Switzerland 281
AXTELL, RICHARD C.—see Jaronski & Axtell; Merriam & Axtell
AZRA, KHAWAR—see Reisen et al.
BAILEY, DONALD L.—see Focks et al.
BAIRD, CRAIG R., JOHN K. PODGORE & CURTIS W. SABROSKY—*Cuterebra* myiasis in humans: six new case reports from the United States with a summary of known cases (Diptera: Cuterebridae) 263
BANAJA, ABDULELAH A.—see Roshdy et al.
BARKER, S. J.—see Zimmerman et al.
BARNARD, DONALD R.—Growth in lone star ticks, *Amblyomma americanum* (Acari: Ixodidae), feeding on cattle: a laboratory study 285
BARNES, A. M. & G. O. MAUPIN—Observations on the biting of humans by *Euhoplopsyllus glacialis affinis* (Siphonaptera: Pulicidae) and a review of its plague-transmission potential 748
BARR, A. RALPH—see Guptavanij & Barr
BEATY, B. J.—see Miller et al.
BEIER, J. C., W. J. BERRY & G. B. CRAIG, JR—Horizontal distribution of adult *Aedes triseriatus* (Diptera: Culicidae) in relation to habitat structure, oviposition, and other mosquito species 239
BELL, J. F., S. J. STEWART & W. A. NELSON—Transplant of acquired resistance to *Polyplax serrata* (Phthiraptera: Hoplopleuridae) in skin allografts to athymic mice 164
BENEDICT, M. Q.—see Narang et al.
BENTLEY, MICHAEL D., IVAN N. MCDANIEL & EDWARD E. DAVIS—Studies of 4-methylcyclohexanol: an *Aedes triseriatus* (Diptera: Culicidae) oviposition attractant 589
BERRY, W. J.—see Beier et al.
BOORSMA, E. G.—see Kaay et al.
BOREHAM, PETER F. L.—see Reisen & Boreham
BOYCE, W. L.—see Roberts et al.
BREIDLING, ELIZABETH—see Dees et al.
BRENNAN, J. M.—see Goff & Brennan
BUESCHER, M. D., L. C. RUTLEDGE, R. A. WIRTZ, K. B. GLACKIN & M. A. MOUSSA—Laboratory tests of repellents against *Lutzomyia longipalpis* (Diptera: Psychodidae) 176
BUFORD, NANCY P.—see Dees et al.
BURGER, JOHN F.—see Magnarelli et al.
BURKE, DONALD S.—see Watts et al.
BUTLER, JERRY F.—see Magnarelli et al.
BÜTTIKER, WILHELM—see Wood et al.
CALLAHAN, MICHAEL C.—see Harrison et al.
CAMIN, JOSEPH H.—see McGowan et al.
CAREY, ANDREW B.—see Main et al.
CAREY, MARION G.—see Main et al.
CARLSON, D. A.—see Schreck et al.
CHADEE, DAVE D. & E. S. TIKASINGH—Occurrence of *Phaeotabanus cajennensis* (Diptera: Tabanidae) in Trinidad 211
CHANIOTIS, BYRON N., RAY E. PARSONS, HAROLD J. HARLAN & MANUEL A. CORREA—A pilot study to control phlebotomine sand flies (Diptera: Psychodidae) in a Neotropical rain forest 1
CHOOCHOTE, WEJ—see Sucharit & Choochote
CLIFFORD, CARLETON M.—see Keirans et al.
CONVERSE, JAMES D. & MAHMOUD I. MOUSSA—Quaranfil virus from *Hyalomma dromedarii* (Acari: Ixodidae) collected in Kuwait, Iraq and Yemen 209
CORREA, MANUEL A.—see Chaniotis et al.
CRAIG, GEORGE B., JR—see Beier et al.; O'Flynn & Craig
CRANS, WAYNE J.—see Slaff & Crans
CURTIS, C. F.—see Graves & Curtis; Kaay et al.
DAME, DAVID A.—see Lacey & Dame

DAVEY, R. B., J. GARZA, JR & G. D. THOMPSON—Seasonal observations on the development and ovipositional capability of *Boophilus annulatus* and *B. microplus* (Acari: Ixodidae) reared on bovines 24
DAVIS, EDWARD E.—see Bentley et al.
DAY, JONATHAN F., KARL M. EBERT & JOHN D. EDMAN—Age of murine hosts determined by binding of estradiol to mosquito blood meals 357
DEES, WILLIAM H., DANIEL A. SONENSHINE, ELIZABETH BREIDLING, NANCY P. BUFORD & GALILA M. KHALIL—Toxicity of precocene-2 for the American dog tick, *Dermacentor variabilis* (Acari: Ixodidae) 734
DYCE, A. L.—see Standfast & Dyce
EBERT, KARL M.—see Day et al.
EDMAN, JOHN D.—see Day et al.; Simmons & Edman
EDWARDS, PENELOPE B.—Laboratory observations on the biology and life cycle of the Australian biting midge *Culicoides subimmaculatus* (Diptera: Ceratopogonidae) 545
ENTREKIN, D. L. & J. H. OLIVER, JR—Aggregation of the chicken mite, *Dermanyssus gallinae* (Acari: Dermanyssidae) 671
EVENHUIS, NEAL L.—see Manning et al.
FAIN, A., J. O. WHITAKER, JR & THOMAS W. FRENCH—*Protomyobia indianensis*, n. sp. (Acari: Myobiidae) parasitic on *Sorex longirostris* from Indiana, USA 48
FOCKS, DANA A., STEVE R. SACKETT & DONALD L. BAILEY—Field experiments on the control of *Aedes aegypti* and *Culex quinquefasciatus* by *Toxorhynchites rutilus rutilus* (Diptera: Culicidae) 336
FONTANARROSA, MARÍA ESTELA—see Ubiergo et al.
FOSTER, WOODBRIDGE A.—see Vargo & Foster
FRENCH, T. W.—Ectoparasites of the Southeastern Shrew, *Sorex longirostris*, and the Masked Shrew, *S. cinereus*, in Vigo County, Indiana, USA 628
FRENCH, THOMAS W.—see Fain et al.
GARZA, J., JR—see Davey et al.
GAUD, J. & W. T. ATYEO—The subfamilies of the Analgidae and Psoroptoididae (Acari: Analgoidea) 299
GERSABECK, EDWARD F., RICHARD W. MERRITT & JOHN D. HAEFNER—An efficient trap for collecting wild adult stable flies, *Stomoxys calcitrans* (Diptera: Muscidae), for mark-release studies 541
GILLIES, M. T. & T. J. WILKES—Responses of host-seeking *Mansonia* and *Anopheles* mosquitoes (Diptera: Culicidae) in West Africa to visual features of a target 68
GINGRICH, J. B., R. A. WARD, L. M. MACKEN & M. J. SCHOENBECHLER—*Trypanosoma brucei rhodesiense* (Trypanosomatidae): factors influencing infection rates of a recent human isolate in the tsetse *Glossina moristans* (Diptera: Glossinidae) 268
GLACKIN, K. B.—see Buescher et al.
GLANCEY, B. MICHAEL, C. S. LOFGREN & D. F. WILLIAMS—Avermectin B_1a: effects on the ovaries of red imported fire ant queens (Hymenoptera: Formicidae) 743
GOFF, M. LEE—A new species of *Pseudoschoengastia* (Acari: Trombiculidae) from a Forest Spiny Pocket Mouse (Rodentia: Heteromyidae) taken in Panama 12
GOFF, M. LEE—A new species of *Sasacarus* (Acari: Trombiculidae) from an Incan "Rat" Opossum (Marsupialia: Caenolestidae) in Peru 60
GOFF, M. LEE—Studies on Papua New Guinea chiggers (Acari: Trombiculidae). IV. *Radfordiana* is a junior synonym of *Schoengastia*, with description of a new species and a key to the species 147
GOFF, M. LEE—Studies on Papua New Guinea chiggers (Acari: Trombiculidae). V. A new species of *Trombigastia* from New Britain bats 204
GOFF, M. LEE—Studies on Papua New Guinea chiggers (Acari: Trombiculidae). VI. A new species of *Toritrombicula* 306
GOFF, M. LEE—Two new species of chiggers (Acari: Trombiculidae) from East African bats (Chiroptera) 376
GOFF, M. LEE—Studies on Papua New Guinea chiggers (Acari: Trombiculidae). VII. Six new species 403
GOFF, M. LEE—A new species of *Paraschoengastia* (Acari: Trombiculidae) from Venezuela 556
GOFF, M. LEE—Studies on Papua New Guinea chiggers (Acari: Trombiculidae). VIII. A new species of *Sasatrombicula* 601
GOFF, M. LEE & J. M. BRENNAN—The genus *Perissopalla* (Acari: Trombiculidae), with descriptions of three new species from Venezuela, correction to the description of *P. precaria*, a key to the species, and synonymy of *Pseudoschoengastia* (*Perissopalla*) *tiucali* with *Hoffmanniella beltrani* 169
GOFF, M. LEE & RICHARD B. LOOMIS—Studies on Papua New Guinea chiggers (Acari: Trombiculidae). IX. A new species of Apoloniinae from the North Solomon Islands 603
GOFF, M. LEE, RICHARD B. LOOMIS, W. CALVIN WELBOURN & WILLIAM J. WRENN—A glossary of chigger terminology (Acari: Trombiculidae) 221

GOODWIN, RICHARD H.—see Main et al.
GRAVES, P. M. & C. F. CURTIS—A cage replacement experiment involving introduction of genes for refractoriness to *Plasmodium yoelii nigeriensis* into a population of *Anopheles gambiae* (Diptera: Culicidae) 127
GUPTAVANIJ, PENSRI & A. RALPH BARR—Two sex-linked mutants, *blond* (*bl*) and *maroon eye* (*mar*), in *Culex pipiens* (Diptera: Culicidae) 394
GÜRTLER, RICARDO E.—see Wisnivesky-Colli et al.
HADI, TUTI R. & JOANN M. TENORIO—A new species of Laelaps (Acari: Laelapidae) from Indonesia, with notes on the *Juxtapositus* species-group 728
HAEFNER, JOHN D.—see Gersabeck et al.
HAMDY, BARIAH H. & WAGUIH SIDRAK—The subgenus *Persicargas* (Ixodoidea: Ixodidae: *Argas*). 37. Protoheme pigment in the hemolymph, coxal fluids, and eggs of *A.* (*P.*) *arboreus* 487
HAMDY, BARIAH H. & WAGUIH SIDRAK—Guanine biosynthesis in the ticks (Acari) *Dermacentor andersoni* (Ixodidae) and *Argas* (*Persicargas*) *arboreus* (Argasidae): fate of labelled guanine precursors 569
HARLAN, HAROLD J.—see Chaniotis et al.
HARRISON, BRUCE A., MICHAEL C. CALLAHAN, DOUGLAS M. WATTS & LARP PANTHUSIRI—An efficient floating larval trap for sampling *Aedes aegypti* populations (Diptera: Culicidae) 722
HARRISON, BRUCE A.—see Watts et al.
HERALD, F.—see Knapp & Herald
HOMER, JOHN T.—see McGowan et al.
HOOGSTRAAL, HARRY—see Wood et al.
JACOBS, MIRA S.—see Rossignol et al.
JARONSKI, STEPHEN T. & RICHARD C. AXTELL—Effects of organic water pollution on the infectivity of the fungus *Lagenidium giganteum* (Oomycetes: Lagenidiales) for larvae of *Culex quinquefasciatus* (Diptera: Culicidae): field and laboratory evaluation 255
JONES, GWILYM S.—see Payne & Jones
KAAY, H. J. VAN DER, J. J. LAARMAN, C. F. CURTIS, E. G. BOORSMA & H. A. VAN SEVENTER—Susceptibility to *Plasmodium berghei* in a laboratory population of *Anopheles atroparvus* (Diptera: Culicidae) after the introduction of *Plasmodium*-refractory genotypes 536
KEIRANS, JAMES E., CARLETON M. CLIFFORD & JANE B. WALKER—The *Ixodes* (*Afrixodes*) *oldi* group (Acari: Ixodidae) from sub-Saharan Africa with descriptions of five new species 309
KHALIL, GALILA M.—see Dees et al.
KIM, KE CHUNG & PETER H. ADLER—Taxonomic relationships of *Neohaematopinus* to *Johnsonpthirus* and *Linognathoides* (Polyplacidae: Anoplura) 615
KNAPP, F. W. & F. HERALD—Congenitally induced mortality in face flies (Diptera: Muscidae) following adult exposure to diflubenzuron-treated surfaces 191
KNIPLING, E. F.—see Osborn & Knipling
KOCH, HENRY G.—Seasonal incidence and attachment sites of ticks (Acari: Ixodidae) on domestic dogs in southeastern Oklahoma and northwestern Arkansas, USA 293
LAARMAN, J. J.—see Kaay et al.
LACEY, LAWRENCE A. & DAVID A. DAME—The effect of *Bacillus thuringiensis* var. *israelensis* on *Toxorhynchites rutilus rutilus* (Diptera: Culicidae) in the presence and absence of prey 593
LANE, ROBERT S. & JOHN R. ANDERSON—Beeding sites of snipe flies (Rhagionidae) and other Diptera in woodland-grass soils 104
LANE, ROBERT S. & JOHN R. ANDERSON—The reproductive life history and blood meal sources of *Chrysops hirsuticallus* (Diptera: Tabanidae) 157
LAVOIPIERRE, M. M. J.—see Walters & Lavoipierre
LAWSON, M. A.—see Rutledge et al.
LEPRINCE, DANIEL J.—see Magnarelli et al.
LEWIS, ROBERT E. & NIXON WILSON—A new species of *Nycteridopsylla* (Siphonaptera: Ischnopsyllidae) from southwestern United States, with a key to the North American species 605
LOFGREN, C. S.—see Adams & Lofgren; Glancey et al.
LOOMIS, RICHARD B.—see Goff & Loomis; Goff et al.
LORENZ, L. H.—see Miller et al.
LYERLY, WILLIAM H., JR—see Roberts et al.
MACKEN, L. M.—see Gingrich et al.
MAGNARELLI, LOUIS A., DANIEL J. LEPRINCE, JOHN F. BURGER & JERRY F. BUTLER—Oviposition behavior and fecundity in *Chrysops cincticornis* (Diptera: Tabanidae) 597
MAHMOOD, FARIDA & WILLIAM K. REISEN—*Anopheles stephensi* (Diptera: Culicidae): changes in male mating competence and reproductive system morphology associated with aging and mating 573
MAHMOOD, FARIDA—see Reisen et al.

MAIN, ANDREW J., ANDREW B. CAREY, MARION G. CAREY & RICHARD H. GOODWIN—Immature *Ixodes dammini* (Acari: Ixodidae) on small animals in Connecticut, USA 655
MANNING, DEBORAH L., NEAL L. EVENHUIS & WALLACE A. STEFFAN—Annotated bibliography of *Toxorhynchites* (Diptera: Culicidae): Supplement I 429
MARSHALL, NEIL—Allergy to *Triatoma protracta* (Heteroptera: Reduviidae). II. Antigen production in vitro 253
MARSHALL, NEIL A. & DONALD H. STREET—Allergy to *Triatoma protracta* (Heteroptera: Reduviidae). I. Etiology, antigen preparation, diagnosis and immunotherapy 248
MAUPIN, G. O.—see Barnes & Maupin
MCDANIEL, IVAN N.—see Bentley et al.
MCGOWAN, MICHAEL J., RON W. MCNEW, JOHN T. HOMER & JOSEPH H. CAMIN—Relationship between skin-sensitizing antibody production in the Eastern Cottontail, *Sylvilagus floridanus*, and infestations by the rabbit tick, *Haemaphysalis leporispalustris*, and the American dog tick, *Dermacentor variabilis* (Acari: Ixodidae) 198
MCIVER, SUSAN B.—Sensilla of mosquitoes (Diptera: Culicidae) 489
MCKENZIE, THOMAS L.—see Meyer et al.
MCNEW, RON W.—see McGowan et al.
MELLINK, J. J.—Estimation of the amount of Venezuelan equine encephalomyelitis virus transmitted by a single infected *Aedes aegypti* (Diptera: Culicidae) 275
MELLINK, J. J.—Transmission of Venezuelan equine encephalomyelitis virus by *Aedes aegypti* (Diptera: Culicidae) to mice previously exposed to vector antigens 371
MERRIAM, T. L. & R. C. AXTELL—Salinity tolerance of two isolates of *Lagenidium giganteum* (Oomycetes: Lagenidiales), a fungal pathogen of mosquito larvae 388
MERRITT, RICHARD W.—see Gersabeck et al.
MEYER, RICHARD P., ROBERT K. WASHINO & THOMAS L. MCKENZIE—Studies on the biology of *Culiseta inornata* (Diptera: Culicidae) in three regions of central California, USA 558
MILLER, B. R., B. J. BEATY & L. H. LORENZ—Variation of La Crosse virus filial infection rates in geographic strains of *Aedes triseriatus* (Diptera: Culicidae) 213
MOHSEN, ZOHAIR H. & MIR S. MULLA—The ecology of black flies (Diptera: Simuliidae) in some southern California streams 72
MORRIS, C. D.—see Pierson & Morris
MORRISON, P. E.—see Venkatesh & Morrison
MOUNT, G. A.—see Schreck et al.
MOUSSA, M. A.—see Buescher et al.
MOUSSA, MAHMOUD I.—see Converse & Moussa; Wood et al.
MULLA, MIR S.—see Mohsen & Mulla
MULLENS, BRADLEY A. & EDWARD T. SCHMIDTMANN—The gonotrophic cycle of *Culicoides variipennis* (Diptera: Ceratopogonidae) and its implications in age-grading field populations in New York State, USA 340
NARANG, S., J. A. SEAWRIGHT & M. Q. BENEDICT—Linkage studies on *bald antenna*, a sex-limited mutant of *Anopheles albimanus* (Diptera: Culicidae) 195
NELSON, W. A.—see Bell et al.
NIEL, LUIS L.—see Ubiergo et al.
NISALAK, ANANDA—see Watts et al.
NORVAL, R. A. I.—see Rechav et al.
O'FLYNN, SISTER M. IGNATIUS & GEORGE B. CRAIG, JR—Effect of *Toxorhynchites brevipalpis* on *Aedes aegypti* (Diptera: Culicidae) in continuous-breeding laboratory populations 380
OGSTON, C. WALTER & ANNA D. YANOVSKI—An improved artificial feeder for bloodsucking insects 42
OGSTON, C. WALTER—see Yanovski & Ogston
OLIVER, J. H., JR—see Entrekin & Oliver; Rechav et al.
OSBURN, R. L. & E. F. KNIPLING—The potential use of sterile hybrid *Boophilus* ticks (Acari: Ixodidae) as a supplemental eradication technique 637
PANTHUSIRI, LARP—see Harrison et al.
PARSONS, RAY E.—see Chaniotis et al.
PARVEEN, TAUHEEDA—see Reisen et al.
PAYNE, RODERICK A. & GWILYM S. JONES—Ectoparasites and other associates of the Eastern Chipmunk, *Tamias striatus* (Rodentia: Sciuridae), from northeastern USA, with additional records from Prince Edward Island, Canada 217
PIERSON, J. W. & C. D. MORRIS—Epizootiology of eastern equine encephalomyelitis virus in upstate New York, USA. IV. Distribution of *Culiseta* (Diptera: Culicidae) larvae in a freshwater swamp 423

PINGER, ROBERT R.—Presumed *Dirofilaria immitis* infections in mosquitoes (Diptera: Culicidae) in Indiana, USA 553
PLATZER, E. G.—see Westerdahl et al.
PODGORE, JOHN K.—see Baird et al.
RAMSAY, G. W.—see Andrews & Ramsay
RECHAV, Y.—Dynamics of tick populations (Acari: Ixodidae) in the Eastern Cape Province of South Africa 679
RECHAV, Y., R. A. I. NORVAL & J. H. OLIVER, JR—Interspecific mating of *Amblyomma hebraeum* and *Amblyomma variegatum* (Acari: Ixodidae) 139
REISEN, WILLIAM K., KHAWAR AZRA & FARIDA MAHMOOD—*Anopheles culicifacies* (Diptera: Culicidae): horizontal and vertical estimates of immature development and survivorship in rural Punjab Province, Pakistan 413
REISEN, WILLIAM K. & PETER F. L. BOREHAM—Estimates of malaria vectorial capacity for *Anopheles culicifacies* and *Anopheles stephensi* in rural Punjab Province, Pakistan 98
REISEN, WILLIAM K., FARIDA MAHMOOD & TAUHEEDA PARVEEN—Seasonal trends in population size and survivorship of *Anopheles culicifacies, An. stephensi* and *An. subpictus* (Diptera: Culicidae) in rural Punjab Province, Pakistan 86
REISEN, WILLIAM K.—see Mahmood & Reisen
ROBERTS, LYMAN W., W. L. BOYCE & WILLIAM H. LYERLY, JR—*Cordylobia anthropophaga* (Diptera: Calliphoridae) myiasis in an infant and dog and a technique for larval rearing 350
ROSHDY, MOHAMED A., ABDULELAH A. BANAJA & HILDA Y. WASSEF—The subgenus *Persicargas* (Ixodoidea: Argasidae: *Argas*). 34. Larval respiratory system structure and spiracle formation in pharate nymphal *Argas* (*P.*) *arboreus* 665
ROSSIGNOL, PHILIPPE A., ANDREW SPIELMAN & MIRA S. JACOBS—Rough endoplasmic reticulum in midgut cells of mosquitoes (Diptera: Culicidae): aggregation stimulated by juvenile hormone 719
RUIZ, ANDRÉS—see Wisnivesky-Colli et al.
RUTLEDGE, L. C., M. A. LAWSON & L. L. YOUNG—Tests of repellents against *Diamanus montanus* (Siphonaptera: Ceratophyllidae) 361
RUTLEDGE, L. C.—see Buescher et al.
SABROSKY, CURTIS W.—see Baird et al.
SACKETT, STEVE R.—see Focks et al.
SALOMÓN, DANIEL—see Wisnivesky-Colli et al.
SAMISH, M.—Mass-rearing devices for *Hyalomma anatolicum excavatum* (Acari: Ixodidae) on calves and rodents exposed to whole-body infestation 6
SCHMIDTMANN, EDWARD T.—see Mullens & Schmidtmann
SCHOENBECHLER, M. J.—see Gingrich et al.
SCHRECK, C. E., G. A. MOUNT & D. A. CARLSON—Wear and wash persistence of permethrin used as a clothing treatment for personal protection against the lone star tick (Acari: Ixodidae) 143
SCOTT, ROBERT MCN.—see Watts et al.
SEAWRIGHT, J. A.—see Narang et al.
SEVENTER, H. A. VAN—see Kaay et al.
SIDRAK, WAGUIH—see Hamdy & Sidrak
SIMMONS, K. R. & J. D. EDMAN—Laboratory colonization of the human onchocerciasis vector *Simulium damnosum* complex (Diptera: Simuliidae), using an enclosed, gravity-trough rearing system 117
SLAFF, MARC & WAYNE J. CRANS—Impounded water as a major producer of *Culex salinarius* (Diptera: Culicidae) in coastal areas of New Jersey, USA 185
SOLARZ, NORA—see Wisnivesky-Colli et al.
SONENSHINE, DANIEL E.—see Dees et al.
SPIELMAN, ANDREW—see Rossignol et al.
STANDFAST, H. A. & A. L. DYCE—Isolation of Thimiri virus from *Culicoides histrio* (Diptera: Ceratopogonidae) collected in northern Australia 212
STEFFAN, WALLACE A.—see Manning et al.
STEWART, S. J.—see Bell et al.
STREET, DONALD H.—see Marshall & Street
STRICKMAN, DANIEL—Stimuli affecting selection of oviposition sites by *Aedes vexans* (Diptera: Culicidae): light 181
STRICKMAN, DANIEL—Notes on Tabanidae (Diptera) from Paraguay 399
SUCHARIT, SUPAT & WEJ CHOOCHOTE—Hybridization of *Anopheles minimus* and *Anopheles aconitus* (Diptera: Culicidae) in Thailand 290
SULAIMAN, ITAM—*Bronze-2*, a fertile mutant of *Aedes aegypti* (Diptera: Culicidae) 706
TAKAHASI, HIROSHI—see Takaoka & Takahasi

TAKAOKA, HIROYUKI & HIROSHI TAKAHASI—A new species of black fly (Diptera: Simuliidae) from upland areas of Guatemala 63
TENORIO, JOANN M.—see Hadi & Tenorio
TESFA-YOHANNES, TESFA-MICHAEL—Reproductive biology of *Aedes* (*S.*) *malayensis* (Diptera: Culicidae) 29
THOMPSON, G. D.—see Davey et al.
TIKASINGH, E. S.—see Chadee & Tikasingh
TURNER, E. C., JR—see Zimmerman et al.
UBIERGO, GERMÁN O., LUIS L. NIEL & MARÍA ESTELA FONTANARROSA—Artificial feeding of *Triatoma infestans* (Hemiptera: Reduviidae) with defibrinated blood 109
USPENSKIY, I. V.—Susceptibility to acaricides of adult *Ornithodoros tholozani* (Ixodoidea: Argasidae) in relation to the slow-death syndrome 701
VARGO, AGNES M. & WOODBRIDGE A. FOSTER—Responsiveness of female *Aedes aegypti* (Diptera: Culicidae) to flower extracts 710
VENKATESH, K. & P. E. MORRISON—Metabolic fuel reserves in the stable fly (Diptera: Muscidae) 330
WALKER, JANE B.—see Keirans et al.
WALTERS, L. L. & M. M. J. LAVOIPIERRE—*Aedes vexans* and *Aedes sierrensis* (Diptera: Culicidae): potential vectors of *Dirofilaria immitis* in Tehama County, northern California, USA 15
WARD, R. A.—see Gingrich et al.
WASHINO, ROBERT K.—see Meyer et al.; Westerdahl et al.
WASSEF, HILDA Y.—see Roshdy et al.
WATTS, DOUGLAS M., BRUCE A. HARRISON, ANANDA NISALAK, ROBERT MCN. SCOTT & DONALD S. BURKE—Evaluation of *Toxorhynchites splendens* (Diptera: Culicidae) as a bioassay host for dengue viruses 54
WATTS, DOUGLAS M.—see Harrison et al.
WELBOURN, W. CALVIN—see Goff et al.
WESTERDAHL, B. BROWN, R. K. WASHINO & E. G. PLATZER—Successful establishment and subsequent recycling of *Romanomermis culicivorax* (Mermithidae: Nematoda) in a California rice field following postparasite application 34
WHITAKER, J. O., JR—see Fain et al.
WILKES, T. J.—see Gillies & Wilkes
WILKINSON, P. R.—Paralysis by Rocky Mountain wood ticks (Acari: Ixodidae) of cattle breeds other than Hereford 215
WILLIAMS, D. F.—see Glancey et al.
WILSON, NIXON—see Lewis & Wilson
WIRTZ, R. A.—see Buescher et al.
WISNIVESKY-COLLI, CRISTINA, RICARDO E. GÜRTLER, NORA SOLARZ, DANIEL SALOMÓN & ANDRÉS RUIZ—Feeding patterns of *Triatoma infestans* (Hemiptera: Reduviidae) in relation to transmission of American trypanosomiasis in Argentina 645
WOOD, OWEN L., MAHMOUD I. MOUSSA, HARRY HOOGSTRAAL & WILHELM BÜTTIKER—Kadam virus (Togaviridae, *Flavivirus*) infecting camel-parasitizing *Hyalomma dromedarii* ticks (Acari: Ixodidae) in Saudi Arabia 207
WRENN, WILLIAM J.—see Goff et al.
YANOVSKI, ANNA D. & C. WALTER OGSTON—Sex differences in size of the blood meal in the bed bug *Cimex hemipterus* (Hemiptera: Cimicidae) 45
YANOVSKI, ANNA D.—see Ogston & Yanovski
YOUNG, D. G. & J. R. ARIAS—A new phlebotomine sand fly in the *Lutzomyia flaviscutellata* complex (Diptera: Psychodidae) from northern Brazil 134
YOUNG, L. L.—see Rutledge et al.
ZIMMERMAN, R. H., S. J. BARKER & E. C. TURNER, JR—Swarming and mating behavior of a natural population of *Culicoides variipennis* (Diptera: Ceratopogonidae) 151
Book notices 53, 97, 211, 339, 750
Book reviews 113, 352, 353, 631, 632, 750
Editorial acknowledgments 762
Errata, Vol. 18 112
Guide for Contributors 355
Notices 14, 23, 41, 168, 247, 329, 351, 428, 634, 733, 742
Obituary 422
Publication announcements 33, 62, 114, 219, 634
Scientific notes 109, 209, 211, 212, 213, 215, 217, 350, 487, 628, 748
General Index 751
Vertebrate Index 758
Contents of Volume 19 iii

PUBLICATION DATES FOR VOLUME 19

No. 1, 28 January 1982
No. 2, 24 March 1982
No. 3, 28 May 1982
No. 4, 28 July 1982
No. 5, 14 October 1982
No. 6, 30 November 1982